



# 2026 SEED CATALOG

*Serving farmers needs since 1935*

# TRACY SEEDS





1805 S. State Road 140 • Janesville, WI 53546  
joshtracy@tracyseeds.com // *Owner*  
penny@tracyseeds.com // *Office Manager*  
info@tracyseeds.com



## *Dear Fellow Farmers,*

As owner of an independent seed company, I take pride in the fact that I am only a phone call away from you, the customer. It is important to me that you are satisfied with the products that I provide. Independence allows Tracy Seeds to offer a vast range of genetics and traits. I consider all our customers a part of the Tracy Seeds family and invite you to visit our office anytime.

Josh H. Tracy - Owner/CEO

608.752.2767



[www.tracyseeds.com](http://www.tracyseeds.com)

## *Our Mission*

To provide high quality products and exceptional service at a fair price.

## *Our History*

In 1935, while attending the University of Wisconsin-Madison, Robert Tracy developed the Tracy family's first hybrid corn variety. This breakthrough marked the beginning of the family's involvement in the seed industry. With support from his father, Gilbert, and grandfather, Elmer, Robert expanded the operation by renting and farming land in Janesville, Wisconsin, prompting the family's relocation from Iowa to Wisconsin.

Since then, Tracy Seeds has continued to grow under the leadership of Josh Tracy, representing the fifth generation of Tracy and Son Farms. Today, he is joined by his son, Colin, the sixth generation to carry on the family legacy.

At Tracy Seeds, we are committed to delivering premium, hand-selected varieties of corn, soybeans, wheat, alfalfa, and oats. From custom treating and packaging to conditioning, we offer comprehensive services to meet your farm's unique needs-because your success is our success.

**Let's grow together.**



## TRACY SEEDS IN-HOUSE FINANCING

- Minimum order of \$2,500.
- Minimum down payment of 20%.
- Take advantage of decreased cash discounts.
- Orders must be placed by May 16, 2026.
- Late payment may revert your purchase price to full retail price based on original order.
- Must fill out in-house financing agreement.
- Offer will take effect when approved by the Tracy Seeds credit department

## Table of Contents

|                                |    |
|--------------------------------|----|
| Payment Options.....           | 2  |
| Corn Products .....            | 3  |
| Corn Trait Insect Control..... | 19 |
| Corn Technologies .....        | 21 |
| Soybean Products.....          | 23 |
| Soybean Technology.....        | 28 |
| Alfalfa Products.....          | 29 |
| Forage Seeds .....             | 31 |
| Legal.....                     | 32 |

| EARLY PAY<br>DISCOUNT  | STANDARD CASH<br>DISCOUNT | IN-HOUSE<br>FINANCING<br>CASH DISCOUNT |
|------------------------|---------------------------|--|
| Aug. 2025 – Sept. 2025 | 14%                       | 9%                                     |
| Oct. 2025 – Nov. 2025  | 12%                       | 7%                                     |
| Dec. 2025 – Jan. 2026  | 10%                       | 5%                                     |
| Feb. 2026 – March 2026 | 6%                        | 5%                                     |
| April 2026             | 4%                        | 0%                                     |

RESTOCKING FEES MAY APPLY TO ANY  
RETURN OVER 10% OF ORDER

CONTACT YOUR SEED REP OR CALL  
**608.752.2767**

to take advantage of these great offers!





# *Corn Products*



# Corn Products

## 86 DAY MATURITY



### TRACY T086-26A

86 DAYS



**CONVENTIONAL**



- » Artesian® technology
- » Outstanding stalk and roots
- » Widely adapted across northern markets West and East
- » Great standability for late harvest

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2193

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE —

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 5

PLANT HEALTH 4

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T086-35

86 DAYS

**CONVENTIONAL**

- » Above average stalks and roots
- » Excellent late-season plant health
- » Fast dry down
- » Good yield potential for maturity

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2330

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE —

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 5

DROUGHT TOLERANCE 4

PLANT HEALTH 4

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T088-35

86 DAYS

**CONVENTIONAL**

- » Strong performance East to West in zone and North
- » Fast dry down
- » Outstanding early corn hybrid
- » Top-end yield potential

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2270

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE —

EAR HEIGHT MH

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767



# Corn Products

88 - 93 DAY MATURITY

## TRACY T088-35

88 DAYS



- » Strong performance East to West in zone and North
- » Fast dry down
- » Outstanding early PowerCore® Enlist® Refuge Advanced® Corn hybrid
- » Top-end yield potential



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2270    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

## TRACY T093-32

93 DAYS



- » Girthy, flex style ear with good kernel depth and grain quality
- » Taller dual-purpose hybrid
- » Excellent yield across a wide area of adaptation
- » Strong agronomics but keep on moderate to higher productive soils



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2315    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 3       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

## TRACY T093-32

93 DAYS



- » Girthy, flex style ear with good kernel depth and grain quality
- » Taller dual-purpose hybrid
- » Excellent yield across a wide area of adaptation
- » Strong agronomics but keep on moderate to higher productive soils



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2315    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 3       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | **Ear Flex:** FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate



# Corn Products

## 94 DAY MATURITY



### TRACY T094-33

94 DAYS



- » High yield potential, great eye appeal
- » Consistent performance across environments
- » Will respond to fungicide applications
- » Excellent low and high population tolerance

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2320

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE -

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 4

PLANT HEALTH 3

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T094-33

94 DAYS



- » High yield potential, great eye appeal
- » Consistent performance across environments
- » Will respond to fungicide applications
- » Excellent low and high population tolerance

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2320

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 4

PLANT HEALTH 3

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T094-33

94 DAYS



- » High yield potential, great eye appeal
- » Consistent performance across environments
- » Will respond to fungicide applications
- » Excellent low and high population tolerance

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2320

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 4

PLANT HEALTH 3

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | **Ear Flex:** FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767



# Corn Products

## 96 DAY MATURITY

### TRACY T096-33

96 DAYS



#### CONVENTIONAL

- » Excellent performance across yield levels
- » Very good disease package
- » Great late-season stalks
- » High yield and silage utility

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2395

PLANT HEIGHT T

EAR FLEX SF

HERBICIDE TOLERANCE -

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 4

DRY DOWN 4

DROUGHT TOLERANCE 4

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T096-33

96 DAYS



- » Excellent performance across yield levels
- » Very good disease package
- » Great late-season stalks
- » High yield and silage utility

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2395

PLANT HEIGHT T

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 4

DRY DOWN 4

DROUGHT TOLERANCE 4

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T096-35

96 DAYS



- » High yield potential with consistent performance
- » Superior silage quality
- » Very good Tar Spot resistance
- » Very good stalks and roots

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2390

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT MH

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 4

PLANT HEALTH 4

MINIMUM TILL 3

CORN-ON-CORN R

SILAGE APPEAL R



**"TOUGH GUY CORN"**  
denotes proven variety

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute

**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall


**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant

**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | **Ear Flex:** FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate



# Corn Products

97-98 DAY MATURITY



**NEW!**

## TRACY T097-36

**97 DAYS**



- » Flex ear, wide range of population
- » Moderate stature, strong roots, excellent standability
- » Great dual-purpose potential
- » Fast dry down in zone



|                     |      |
|---------------------|------|
| BLACK LAYER GDU'S * | 2400 |
| PLANT HEIGHT        | M    |
| EAR FLEX            | F    |
| HERBICIDE TOLERANCE | -    |
| EAR HEIGHT          | ML   |
| EARLY GROWTH        | 4    |
| TEST WEIGHT         | 3    |
| DRY DOWN            | 4    |
| DROUGHT TOLERANCE   | 4    |
| PLANT HEALTH        | 4    |
| MINIMUM TILL        | 4    |
| CORN-ON-CORN        | R    |
| SILAGE APPEAL       | R    |


**NEW!**

## TRACY T098-36

**98 DAYS**



- » Outstanding performance
- » Smaller stature with good agronomics
- » Highly adaptable to different soil types
- » Very good stalks and roots



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2395    |
| PLANT HEIGHT        | M       |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | M       |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 5       |
| DROUGHT TOLERANCE   | 5       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | NR      |



**"TOUGH GUY CORN"**  
denotes proven variety

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR = Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767





# Corn Products

99-100 DAY MATURITY

## TRACY T099-34

99 DAYS

### CONVENTIONAL

- » Excellent late-season plant health and intactness
- » Outstanding tolerance to Tar Spot
- » Consistent ear with excellent tip fill
- » 34,000- 36,000 population

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2450

PLANT HEIGHT MT

EAR FLEX SD

HERBICIDE TOLERANCE -

EAR HEIGHT MH

EARLY GROWTH 5

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R

## TRACY T099-34

99 DAYS



- » Excellent late-season plant health and intactness
- » Outstanding tolerance to Tar Spot
- » Consistent ear with excellent tip fill
- » 34,000- 36,000 population

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2450

PLANT HEIGHT MT

EAR FLEX SD

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT MH

EARLY GROWTH 5

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R

NEW!

## TRACY T100-35

100 DAYS



- » Top yield in moderate and high yield environments
- » Adapted across the corn belt
- » Outstanding roots and early vigor
- » Excellent dry down

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2440

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT M

EARLY GROWTH 5

TEST WEIGHT 3

DRY DOWN 5

DROUGHT TOLERANCE 4

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL NR



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate



# Corn Products

100 - 102 DAY MATURITY



**NEW!**

## TRACY T100-36

**100 DAYS**



- » Superior top-end yield
- » Strong disease package
- » Excellent plant health and intactness
- » Solid performance in zone and North



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2430    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | M       |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 5       |
| DROUGHT TOLERANCE   | 5       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | NR      |

## TRACY T102-35

**102 DAYS**



- » Elite high-end yield potential
- » Excellent agronomic package
- » Strong response to foliar fungicide
- » 24,000 - 36,000 population



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2425    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | ML      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 5       |
| DROUGHT TOLERANCE   | 5       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | NR      |

**NEW!**

## TRACY T102-36

**102 DAYS**



- » High yielding PowerCore® Enlist® Refuge Advanced® Corn hybrid
- » Adapted East to West, best performance in zone and North
- » Excellent disease package
- » Strong stalks and performs well in a variety of soils



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2530    |
| PLANT HEIGHT        | M       |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | M       |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 4       |
| DROUGHT TOLERANCE   | 5       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | NR      |



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767





# Corn Products

## 104 DAY MATURITY

### TRACY T104-34

104 DAYS



#### CONVENTIONAL

- » Impressive disease package including Tar Spot
- » Long, girthy ears with high test weight
- » Dual-purpose with excellent silage quality and quantity
- » Excellent low and high population tolerance

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2575

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE —

EAR HEIGHT MH

EARLY GROWTH 4

TEST WEIGHT 4

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T104-34

104 DAYS



- » Impressive disease package including Tar Spot
- » Long, girthy ears with high test weight
- » Dual-purpose with excellent silage quality and quantity
- » Excellent low and high population tolerance

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2575

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT MH

EARLY GROWTH 4

TEST WEIGHT 4

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T104-35

104 DAYS



- » Moderate-statured, high-performing hybrid with stress tolerance
- » Well adapted East to West, moves South
- » Strong disease tolerance
- » Consistent performance across high and low yield environments

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2570

PLANT HEIGHT M

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT M

EARLY GROWTH 4

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 5

PLANT HEALTH 4

MINIMUM TILL 4

CORN-ON-CORN R

SILAGE APPEAL R



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate



# Corn Products

## 104 - 105 DAY MATURITY



**NEW!**

### TRACY T104-36

**104 DAYS**



- » Excellent yield performance
- » Excellent agronomic package
- » Performs well across all soil types including high pH
- » Excellent stalk and roots



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2570    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 5       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | NR      |

### TRACY T105-35

**105 DAYS**



- » Stable yield with solid agronomics
- » Outstanding test weight
- » Silage appeal
- » 26,000-36,000 population



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2560    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 5       |
| DRY DOWN            | 5       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

**NEW!**

### TRACY T105-36

**105 DAYS**



- » Robust, durable and top performance
- » Tremendous flex and large ears
- » Adaptable in geography, soil types and yield
- » Dual-purpose and optimal performance



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2610    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | F       |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 5       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | **Ear Flex:** FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767





# Corn Products

106 - 107 DAY MATURITY

## TRACY T106-35

106 DAYS



- » Top-end yield potential
- » Excellent dry down
- » Very good test weight
- » Consistent performance across high and low yield environments



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2480    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 4       |
| DROUGHT TOLERANCE   | 4       |
| PLANT HEALTH        | 5       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

## TRACY T107-33

107 DAYS



- » Outstanding yield across the corn belt
- » Excellent roots and stalks
- » Excellent on all soil types
- » Silage appeal with excellent grain yield



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2482    |
| PLANT HEIGHT        | T       |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 4       |
| DROUGHT TOLERANCE   | 4       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

NEW!

## TRACY T107-36

107 DAYS



- » Large area of adaptation, high yielding
- » Deep kernels, long girthy ears
- » Attractive leafy plants and solid stalks/roots
- » Strong NLB and good Goss's Wilt tolerance



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2685    |
| PLANT HEIGHT        | M       |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | NR      |



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | **Ear Flex:** FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate



# Corn Products

## 108 - 110 DAY MATURITY



### TRACY T108-34

108 DAYS



- » Excellent yield potential
- » Outstanding NCLB, Goss's Wilt, and Tar Spot tolerance
- » Great late-season stalk strength
- » Best performance in zone and South



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2495    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | M       |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 4       |
| DROUGHT TOLERANCE   | 4       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

### TRACY T109-35

109 DAYS



- » Strong yield potential with superior stress tolerance
- » Excellent agronomics for grain or silage
- » Very good foliar disease protection
- » 26,000-35,000 population



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2508    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 5       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 5       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

### TRACY T110-33

110 DAYS



- » Excellent foliar disease protection
- » Superior roots and late-season stalk strength
- » Good tolerance to Tar Spot
- » Keep between 30,000-38,000 population



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2545    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | FX      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 3       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |



**"TOUGH GUY CORN"**  
denotes proven variety

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767





# Corn Products

## 110 - 111 DAY MATURITY

### TRACY T110-33

110 DAYS



- » Excellent foliar disease protection
- » Superior roots and late-season stalk strength
- » Good tolerance to Tar Spot
- » Keep between 30,000-38,000 population



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2545    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | FX      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 5       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 3       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

### TRACY T110-35

110 DAYS



- » Medium-statured, excellent yield
- » Outstanding stalk strength
- » Consistent girthy ears with deep kernels
- » Adapted East to West with best performance in zone and South




|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2765    |
| PLANT HEIGHT        | M       |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | M       |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 3       |
| DRY DOWN            | 4       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

### TRACY T111-34

111 DAYS

#### CONVENTIONAL

- » Attractive plant type with high yield potential
- » Excellent test weight and grain quality with good Tar Spot tolerance
- » Dual-purpose with excellent silage quality and quantity
- » 28,000-36,000 population



|                     |      |
|---------------------|------|
| BLACK LAYER GDU'S * | 2700 |
| PLANT HEIGHT        | MT   |
| EAR FLEX            | SF   |
| HERBICIDE TOLERANCE | —    |
| EAR HEIGHT          | ML   |
| EARLY GROWTH        | 5    |
| TEST WEIGHT         | 5    |
| DRY DOWN            | 3    |
| DROUGHT TOLERANCE   | 3    |
| PLANT HEALTH        | 4    |
| MINIMUM TILL        | 5    |
| CORN-ON-CORN        | R    |
| SILAGE APPEAL       | R    |



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR= Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate



# Corn Products

## 111 - 112 DAY MATURITY



### TRACY T111-34

111 DAYS



- » Attractive plant type with high yield potential
- » Excellent test weight and grain quality with good Tar Spot tolerance
- » Dual-purpose with excellent silage quality and quantity
- » 28,000-36,000 population

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2700

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT ML

EARLY GROWTH 5

TEST WEIGHT 5

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T111-34

111 DAYS



- » Attractive plant type with high yield potential
- » Excellent test weight and grain quality with good Tar Spot tolerance
- » Dual-purpose with excellent silage quality and quantity
- » 28,000-36,000 population

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2700

PLANT HEIGHT MT

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT ML

EARLY GROWTH 5

TEST WEIGHT 5

DRY DOWN 3

DROUGHT TOLERANCE 3

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R

### TRACY T112-35

112 DAYS



- » Consistently high yielding with outstanding stalks and roots
- » Excellent late-season intactness and staygreen
- » Performance leader in the central corn belt
- » Excellent silage and grain potential

EARLY GROWTH



TEST WEIGHT



DRY DOWN



DROUGHT TOLERANCE



PLANT HEALTH



BLACK LAYER GDU'S \* 2710

PLANT HEIGHT T

EAR FLEX SF

HERBICIDE TOLERANCE GLY/GLU

EAR HEIGHT M

EARLY GROWTH 5

TEST WEIGHT 3

DRY DOWN 3

DROUGHT TOLERANCE 5

PLANT HEALTH 4

MINIMUM TILL 5

CORN-ON-CORN R

SILAGE APPEAL R




**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR = Not Resistant, R = Resistant \*Values are relative, not absolute  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate

608.752.2767




## 114 DAYS



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2840    |
| PLANT HEIGHT        | T       |
| EAR FLEX            | SF      |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

## 115 DAYS



|                     |         |
|---------------------|---------|
| BLACK LAYER GDU'S * | 2605    |
| PLANT HEIGHT        | MT      |
| EAR FLEX            | F       |
| HERBICIDE TOLERANCE | GLY/GLU |
| EAR HEIGHT          | MH      |
| EARLY GROWTH        | 4       |
| TEST WEIGHT         | 4       |
| DRY DOWN            | 3       |
| DROUGHT TOLERANCE   | 3       |
| PLANT HEALTH        | 4       |
| MINIMUM TILL        | 4       |
| CORN-ON-CORN        | R       |
| SILAGE APPEAL       | R       |

[illegible]

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended, NR = Not Resistant, R = Resistant *\*Values are relative, not absolute*  
**PLANT HEIGHT:** MS = Medium-Short, M = Medium, MT = Medium-Tall, T = Tall  
**HERBICIDE TOLERANCE:** GLY = Glyphosate Tolerant, GLY/GLU = Glyphosate/Glufosinate Tolerant  
**EAR HEIGHT:** M = Medium, MH = Medium-High, ML = Medium-Low | Ear Flex: FX = Fixed, F = Flex, SF = Semi-Flex, SD = Semi-Determinate, D = Determinate





photo by Helgesen Studio  
From the left, John Tracy, Alan Tracy and their father, Robert Tracy.

## 1935. *A man. An idea.*

When the concept for hybrid seed corn was developed in the early 1930's, a few men saw the impact it would have on modern agriculture.

Robert Tracy was one of them.

He, along with several other founders of the seed corn industry, realized that genetically controlled breeding could greatly improve the quality and yield of corn.

So at age 23 he set out to back up his beliefs.

The vision didn't exactly get off to a thunderous start. The first hybrid crop of Tracy Farms was 138 bushels off of 3-1/2 acres near Madison, Wisconsin.

But with the right concept and an undaunted frontier spirit, Robert Tracy took his idea to the rich prairie soils of Rock County in Southern Wisconsin.

From there the dream started to become a reality. The company started to grow and farmer acceptance of this "new fangled" hybrid seed corn started to gain momentum.

In contrast to most other seed companies, Robert

Tracy always did his own farming and usually on his own land. He wanted a high quality product and felt that he should control its production from beginning to end. The family continues this philosophy today.

Also, as others turned towards the rich Central Corn Belt and developed products for its climates, Robert Tracy turned to the problems of the Northern Corn Belt. His company's research and breeding concentrated on developing hybrids that could tolerate the stresses of the more unpredictable Northern Corn Belt's short season growing conditions.

He looked for high yielding hybrids that would hit, not extend, stated maturities and possess an extra toughness to get them through the long, cold springs or drought-like conditions. He knew the area. He farmed the area. He worked hard to develop hybrids that the area's farmers needed.

And his work paid off. The product became more accepted, the farms grew, the number of employees grew and The Short Season Corn People were born.

















# Corn Trait Insect Control

| Insect   | Agrisure® 3010  | Agrisure Viptera® 3110  | Viptera®   | Agrisure® Above   | Duracade®   | DuracadeViptera™  |
|--|---|---|--|---|---|---|
| Corn Earworm   |    |          |          |    |    |          |
| Black Cutworm  |    |          |          |     |     |          |
| Fall Armyworm  |    |          |          |    |    |          |
| Western Bean Cutworm   |    |          |          |    |    |          |
| Dingy Cutworm  |    |    |    |    | —   |    |
| Common Stalk Borer   |    |     |    |    |    |     |
| True Armyworm  |    |    |    | —   | —   |    |
| Sugarcane Borer  |    |    |    |    |    |    |
| Beet Armyworm  |    |    |    |     |     |    |
| European Corn Borer  |    |    |    |    |    |    |
| Southwestern Corn Borer  |    |    |    |    |    |    |
| Western Corn Rootworm, Northern Corn Rootworm, Mexican Corn Rootworm |    |    |   |    |     |     |

Insect Control Scale: Blank = unavailable;  = no effect;  = some;  = good;  = very good;  = excellent  
 All competitor information is based solely upon interpretation of publicly available information, including public presentation, regulatory submissions, and observations made in commercial fields.



# Corn Trait Insect Control



| Insect   | Herculex <sup>®</sup> XTRA | Optimum <sup>®</sup> AcreMax <sup>®</sup> | Optimum <sup>®</sup> AcreMax <sup>®</sup> | Optimum <sup>®</sup> Leptra <sup>®</sup> | Optimum <sup>®</sup> AcreMax <sup>®</sup> Xtra | Optimum <sup>®</sup> AcreMax <sup>®</sup> Xtreme | Powercore <sup>®</sup> Enlist <sup>®</sup> Refuge Advanced <sup>®</sup> |
|--|----------------------------|---|---|--|--|--|---|
| Corn Earworm   |                            |   |   |  |  |  |   |
| Black Cutworm  |                            |   |   |  |  |  |   |
| Fall Armyworm  |                            |   |   |  |  |  |   |
| Western Bean Cutworm   |                            |   |   |  |  |  |   |
| Dingy Cutworm  | —                          | —   | —   |  | —  | —  | —   |
| Common Stalk Borer   |                            |   |   |  |  |  |   |
| True Armyworm  | —                          | —   | —   |  | —  | —  | —   |
| Sugarcane Borer  |                            |   |   |  |  |  |   |
| Beet Armyworm  |                            |   |   |  |  |  | —   |
| European Corn Borer  |                            |   |   |  |  |  |   |
| Southwestern Corn Borer  |                            |   |   |  |  |  |   |
| Western Corn Rootworm, Northern Corn Rootworm, Mexican Corn Rootworm |                            |   |   |  |  |  |   |

Insect Control Scale: Blank = unavailable; = no effect; = some; = good; = very good; = excellent  
 All competitor information is based solely upon interpretation of publicly available information, including public presentation, regulatory submissions, and observations made in commercial fields.



# Corn Technologies



**Artesian®** corn hybrids maximize yield when it rains and increases yield when it doesn't. Built for top-end yield potential using scientifically selected genes, this elite class of high-performing hybrids can respond to water stress with multiple genes at virtually any stage of growth—managing gaps in rainfall throughout the season. Artesian® corn hybrids can respond to the unpredictability of weather and help improve yield consistency by converting water to grain more efficiently than other hybrids.



The **Agrisure® GT** trait provides tolerance to in-crop applications of glyphosate based herbicides. This hybrid is an excellent option for refuge acres in a structured refuge operation.



The **Agrisure Artesian® GTA** trait stack brings together an elite hybrid, which converts water to grain more efficiently than other hybrids, with tolerance to in-crop applications of glyphosate based herbicides—resulting in season-long water optimization, and more consistent production and profit potential. This hybrid is an excellent option for refuge acres in a structured refuge field.



The **Agrisure® Above** trait stack offers the convenience of an integrated E-Z Refuge® seed blend featuring multiple modes of action against corn borer, as well as suppression of ear-feeding insects. The Agrisure® Above trait stack is ideal in areas where corn rootworm management is not a primary concern.



The **Duracade®** trait stack provides multiple modes of action against corn rootworm and corn borer, as well as suppression of ear-feeding insects. This trait stack includes a novel, alternate mode of action to help preserve trait durability and delay insect adaptation for long-term field health, and the convenience of an integrated E-Z Refuge® seed blend.



The **DuracadeViptera™** trait stack is a comprehensive solution for proactively protecting yield potential and field health. It combines the power of Duracade® and Viptera® to control 16 damaging above- and below-ground pests while offering the convenience of an integrated E-Z Refuge® seed blend. Its novel, alternate modes of action, including a unique mode of action that demonstrates strong performance against corn rootworm, help preserve trait durability and delay insect adaptation for long-term field health.



## DuracadeViptera™ Z3

The DuracadeViptera™ Z3 trait stack offers comprehensive above- and below-ground insect control for proactively protecting yield potential and field health. It offers three modes of action on key broad lepidopteran pests and a unique mode of action that demonstrates strong performance against corn rootworm. This trait stack offers control of 16 damaging above- and below-ground pests, and includes the convenience of an integrated E-Z Refuge® seed blend.

## Viptera®

The Viptera® trait stack offers the most comprehensive above-ground insect control with control of ear-feeding insects, multiple modes of action against key aboveground insects and the convenience of an integrated E-Z Refuge® seed blend. It is ideal in areas where corn rootworm management is not a primary concern. The Viptera® trait stack features the only trait technology available today that effectively controls western bean cutworm to help protect genetic yield potential.

## Viptera™ Z3

The Viptera™ Z3 trait stack offers the most comprehensive above-ground insect control, with three modes of action on key broad lepidopteran pests and three modes of action on corn borer. It reduces the need for scouting and treatments and is a good fit for geographies where corn rootworm is not a concern. The Viptera™ Z3 trait stack features the only trait technology available today that effectively controls western bean cutworm to help protect genetic yield potential and includes the convenience of an integrated E-Z Refuge® seed blend.



PowerCore® Enlist® Refuge Advanced® is a comprehensive trait package for above-ground pests and weed management. PowerCore Enlist corn features three modes of action against above-ground insect pests for broad-spectrum and long-lasting control. Tolerance to multiple herbicides – including glyphosate, glufosinate, 2,4-D choline, and FOPS – gives you the flexibility in herbicide choice and management practices to help maximize yield and now with the added flexibility of integrated refuge.

## THE NEW STANDARD FOR WEED CONTROL & YIELD PERFORMANCE ENLIST™ WEED CONTROL SYSTEM



**ON-TARGET APPLICATIONS:** | 90% less drift than traditional 2,4-D | 96% less volatile than 2,4-D ester



Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use on PowerCore® Enlist® corn.

| 2,4-D choline | Glyphosate | Glufosinate | FOP Herbicides

- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two modes of action work together to deliver control of yield-robbing weeds and help prevent resistance
- Straight goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with glyphosate, glufosinate and other qualified tank-mix products, allowing for a customized weed control program to fit each farm







# Soybean Products



# Enlist E3<sup>®</sup> Soybean Products

0.7 - 1.6 RELATIVE MATURITY




**NEW!**

## TRACY 0756 E

**0.7 RELATIVE MATURITY**



- » Top yielding Group 0
- » Excellent disease package
- » Great standability




|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium         |
| PLANT TYPE                | Semi-Bush      |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Good           |
| IRON DEFICIENCY CHLOROSIS | Very Good      |
| BROWN STEM ROT            | Very Good      |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Brown          |
| PUBESCENCE                | Light tawny    |

## TRACY 1455 E

**1.4 RELATIVE MATURITY**



- » Perfect fit for northern acres
- » Rps1k and PEKING
- » Good standability



|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium         |
| PLANT TYPE                | Semi-Bush      |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Very Good      |
| IRON DEFICIENCY CHLOROSIS | Good           |
| BROWN STEM ROT            | Very Good      |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Black          |
| PUBESCENCE                | Light tawny    |


**NEW!**

## TRACY 1656 E

**1.6 RELATIVE MATURITY**



- » Excellent yield potential
- » Adapted to northern Midwest
- » Good agronomics



|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium         |
| PLANT TYPE                | Semi-Bush      |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Good           |
| IRON DEFICIENCY CHLOROSIS | Good           |
| BROWN STEM ROT            | Very Good      |
| SUDDEN DEATH SYNDROME     | Good           |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Black          |
| PUBESCENCE                | Light tawny    |

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended

*\*Values are relative, not absolute*

608.752.2767



# Enlist E3<sup>®</sup> Soybean Products

## 1.8 RELATIVE MATURITY


**NEW!**

### TRACY 1846 E

**1.8 RELATIVE MATURITY**



- » Good emergence and seedling vigor
- » Adaptable across soil types
- » High yield potential




|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium-Tall    |
| PLANT TYPE                | Semi-Bush      |
| EMERGENCE                 | Excellent      |
| SCLEROTINIA WHITE MOLD    | Very Good      |
| IRON DEFICIENCY CHLOROSIS | Good           |
| BROWN STEM ROT            | Good           |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Brown          |
| PUBESCENCE                | Light tawny    |

### TRACY 1854 E

**1.8 RELATIVE MATURITY**



- » Medium-tall with great standability
- » Good disease package
- » Peking for SCN



|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium-Tall    |
| PLANT TYPE                | Medium-Bush    |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Very Good      |
| IRON DEFICIENCY CHLOROSIS | Good           |
| BROWN STEM ROT            | Good           |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Black          |
| PUBESCENCE                | Light tawny    |


**NEW!**

### TRACY 1856 E

**1.8 RELATIVE MATURITY**



- » Strong disease package
- » Very good White Mold scores
- » Very good stress tolerance



|                           |                 |
|---------------------------|-----------------|
| PLANT HEIGHT              | Medium          |
| PLANT TYPE                | Intermediate    |
| EMERGENCE                 | Very Good       |
| SCLEROTINIA WHITE MOLD    | Very Good       |
| IRON DEFICIENCY CHLOROSIS | Good            |
| BROWN STEM ROT            | Very Good       |
| SUDDEN DEATH SYNDROME     | Good            |
| SOYBEAN CYST NEMATODE     | High Tolerance  |
| PHYTOPHTHORA ROOT ROT     | Rps1k           |
| FLOWER                    | Purple          |
| HILUM                     | Imperfect black |
| PUBESCENCE                | Gray            |

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended  
*\*Values are relative, not absolute*



# Enlist E3<sup>®</sup> Soybean Products

1.9 - 2.3 RELATIVE MATURITY




**NEW!**

## TRACY 1956 E

**1.9 RELATIVE MATURITY**



- » Excellent late Group 1 performance
- » Very good disease package
- » Excellence emergence and stress tolerance




|                           |                 |
|---------------------------|-----------------|
| PLANT HEIGHT              | Medium-Tall     |
| PLANT TYPE                | Intermediate    |
| EMERGENCE                 | Very Good       |
| SCLEROTINIA WHITE MOLD    | Good            |
| IRON DEFICIENCY CHLOROSIS | Very Good       |
| BROWN STEM ROT            | Very Good       |
| SUDDEN DEATH SYNDROME     | Very Good       |
| SOYBEAN CYST NEMATODE     | High Tolerance  |
| PHYTOPHTHORA ROOT ROT     | Rps1c           |
| FLOWER                    | Purple          |
| HILUM                     | Imperfect black |
| PUBESCENCE                | Gray            |

## TRACY 2155 E

**2.1 RELATIVE MATURITY**



- » Yield with agronomics
- » Medium plant with nice upright laterals
- » PEKING for SCN




|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium-Tall    |
| PLANT TYPE                | Semi-Bush      |
| EMERGENCE                 | Excellent      |
| SCLEROTINIA WHITE MOLD    | Very Good      |
| IRON DEFICIENCY CHLOROSIS | Very Good      |
| BROWN STEM ROT            | Good           |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Brown          |
| PUBESCENCE                | Light tawny    |

## TRACY 2355 E

**2.3 RELATIVE MATURITY**



- » Yield leader in 2.3 zone
- » Very good stress tolerance
- » PEKING for SCN



|                           |                 |
|---------------------------|-----------------|
| PLANT HEIGHT              | Medium-Tall     |
| PLANT TYPE                | Intermediate    |
| EMERGENCE                 | Very Good       |
| SCLEROTINIA WHITE MOLD    | Good            |
| IRON DEFICIENCY CHLOROSIS | Good            |
| BROWN STEM ROT            | Very Good       |
| SUDDEN DEATH SYNDROME     | Good            |
| SOYBEAN CYST NEMATODE     | High Tolerance  |
| PHYTOPHTHORA ROOT ROT     | N/A             |
| FLOWER                    | Purple          |
| HILUM                     | Imperfect black |
| PUBESCENCE                | Gray            |

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended

*\*Values are relative, not absolute*

608.752.2767



# Enlist E3<sup>®</sup> Soybean Products

## 2.3 - 2.6 RELATIVE MATURITY


**NEW!**

### TRACY 2356 E

**2.3 RELATIVE MATURITY**



- » Excellent yield potential
- » Good agronomics
- » Good SDS tolerance



|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium         |
| PLANT TYPE                | Intermediate   |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Good           |
| IRON DEFICIENCY CHLOROSIS | Good           |
| BROWN STEM ROT            | Very Good      |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | White          |
| HILUM                     | Black          |
| PUBESCENCE                | Light tawny    |


**NEW!**

### TRACY 2556 E

**2.5 RELATIVE MATURITY**



- » Medium-tall, blocky plant style with good lodging scores
- » Late-season drought stress tolerance
- » Wet feet tolerance




|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium-Tall    |
| PLANT TYPE                | Intermediate   |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Good           |
| IRON DEFICIENCY CHLOROSIS | Good           |
| BROWN STEM ROT            | N/A            |
| SUDDEN DEATH SYNDROME     | Good           |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1c3a        |
| FLOWER                    | Purple         |
| HILUM                     | Buff           |
| PUBESCENCE                | Gray           |

### TRACY 2755 E

**2.6 RELATIVE MATURITY**



- » Yield leader in 2.6 zone
- » Very good stress tolerance
- » Good disease package



|                           |                 |
|---------------------------|-----------------|
| PLANT HEIGHT              | Medium          |
| PLANT TYPE                | Semi-Bush       |
| EMERGENCE                 | Very Good       |
| SCLEROTINIA WHITE MOLD    | Good            |
| IRON DEFICIENCY CHLOROSIS | Good            |
| BROWN STEM ROT            | N/A             |
| SUDDEN DEATH SYNDROME     | Good            |
| SOYBEAN CYST NEMATODE     | High Tolerance  |
| PHYTOPHTHORA ROOT ROT     | N/A             |
| FLOWER                    | Purple          |
| HILUM                     | Imperfect black |
| PUBESCENCE                | Gray            |

**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended

*\*Values are relative, not absolute*



# Enlist E3<sup>®</sup> Soybean Products

## 3.2 RELATIVE MATURITY




**NEW!**

### TRACY 3256 E

**3.2 RELATIVE MATURITY**



- » Excellent disease package
- » Incredible yield
- » Superior standability



|                           |                |
|---------------------------|----------------|
| PLANT HEIGHT              | Medium         |
| PLANT TYPE                | Narrow-Bush    |
| EMERGENCE                 | Very Good      |
| SCLEROTINIA WHITE MOLD    | Excellent      |
| IRON DEFICIENCY CHLOROSIS | N/A            |
| BROWN STEM ROT            | N/A            |
| SUDDEN DEATH SYNDROME     | Very Good      |
| SOYBEAN CYST NEMATODE     | High Tolerance |
| PHYTOPHTHORA ROOT ROT     | Rps1k          |
| FLOWER                    | Purple         |
| HILUM                     | Brown          |
| PUBESCENCE                | Light tawny    |

## Soybean Technology



**ENLIST E3<sup>®</sup> (E3)** soybeans offer the most advanced trait technology available in soybeans, providing a new standard for weed control and yield performance. With Enlist E3<sup>®</sup> soybeans, the three herbicide tolerances - 2,4-D choline, glyphosate and glufosinate - combine to deliver a complete system with more weed control options. Using multiple herbicide sites of action in a program approach helps control weeds in the current growing season while limiting the ability for herbicide-resistant weeds to develop. Enlist E3<sup>®</sup> soybeans give farmers the flexibility to employ multiple herbicide sites of action.

| Technology Owner   | Herbicide Mode of Action  |
|--|---|
| The transgenic soybean event in Enlist E3 <sup>®</sup> soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C. | 2,4-D choline & Glyphosate, Glufosinate herbicides  |
| Droplet Size   | Wind Speed Restrictions   |
| Medium - Coarse  | 3 - 15 mph  |
| Buffer Zone  | Approved Nozzle   |
| 30' downwind from sensitive areas  | Multiple<br>(see listing for use with Enlist One <sup>™</sup> or Enlist Duo <sup>®</sup> herbicide) |
| Approval Status Seed   | Approval Status Herbicide   |
| Yes  | Yes   |



**ON-TARGET APPLICATIONS:** | 90% less drift than traditional 2,4-D | 96% less volatile than 2,4-D ester



Following burndown, Enlist Duo<sup>®</sup> and Enlist One<sup>®</sup> herbicides with Colex-D<sup>®</sup> technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use with Enlist E3<sup>®</sup> soybeans.

| 2,4-D choline | Glyphosate | Glufosinate

- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two modes of action work together to deliver control of yield-robbing weeds and help prevent resistance

- Straight goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with glyphosate, glufosinate and other qualified tank-mix products, allowing for a customized weed control program to fit each farm



**RATING SCALE:** 5 = Excellent, 4 = Very Good, 3 = Good, 2 = Recommended, 1 = Not Recommended

*\*Values are relative, not absolute*

608.752.2767





# *Alfalfa Products*



## TSA 200

### ALFALFA

- » Medium recovery after harvest
- » Great for economy production
- » Better for 3 or 4 cuttings per year
- » Used for short rotations
- » Keep on well-drained soils

FALL DORMANCY 3.0 - 4.0

WINTER HARDINESS 2.0

PERSISTENCE Average

DISEASE RATING (WI) 26/30

CUTTING RECOVERY Average

## TSA 230-PLH

### ALFALFA

- » First choice where Potato Leafhopper is a pest or not sprayed
- » Eliminates need to spray for Potato Leafhopper
- » Naturally high forage quality potential
- » Manage for 3 or 4 cuttings per year
- » Medium rotation cycle

FALL DORMANCY 4.0

WINTER HARDINESS 2.0

PERSISTENCE Very Good

DISEASE RATING (WI) 30/30

CUTTING RECOVERY Fast

## TSA 250-ML

### ALFALFA

- » High yield, high quality, multi-leaf
- » Adapted for 3, 4, or 5 cuttings per year
- » Selected for good forage quality, yield, and persistence potential
- » Medium to long rotation cycle

FALL DORMANCY 4.0

WINTER HARDINESS 2.0

PERSISTENCE Superior

DISEASE RATING (WI) 30/30

CUTTING RECOVERY Very Fast

## TSA 280-APH2

### ALFALFA

- » First choice where Aphanomyces Race 2 is a problem
- » Elite performance for yield potential, quality, and persistence
- » Widely adapted to soils and geography
- » Manage for 3, 4, or 5 cuttings per year

FALL DORMANCY 4.0

WINTER HARDINESS 2.0

PERSISTENCE Superior

DISEASE RATING (WI) 30/30

CUTTING RECOVERY Very Fast



# Alfalfa Products

## ALFOREX HI-GEST® 360

### ALFALFA

- » High yield potential with improved fiber digestibility
- » Better quality for top performing dairies; 3 or 4+ cuttings per year
- » Conventional bred plant offering wider harvest window and improved performance
- » Very leafy, medium to fine stems while maintaining solid standability

FALL DORMANCY 3.0

WINTER HARDINESS 1.5

PERSISTENCE Excellent

DISEASE RATING (WI) 35/35

CUTTING RECOVERY Average

## ALFOREX HI-GEST® 460

### ALFALFA

- » High yield alfalfa bred for improved yield and forage quality
- » Better quality for top performing dairies; 3, 4, or 5 cuttings per year
- » Adapted for aggressive, high quality production or more relaxed high yield practices
- » Strong leaf disease package which contributes to a high leaf-to-stem ratio and higher crude protein

FALL DORMANCY 4.0

WINTER HARDINESS 1.5

PERSISTENCE Excellent

DISEASE RATING (WI) 34/35

CUTTING RECOVERY Fast

We have most of the common forage grasses, clovers, and mixes available.

Please contact us for prices and availability.


## COMMON FORAGES AVAILABLE

- BARLEY
- BROMEGRASS
- CLIMAX TIMOTHY
- DWARF GRAIN SORGHUM
- OATS
- ORCHARDGRASS
- PEA & OAT MIXES
- SORGHUM SUDANGRASS
- TILLAGE RADISH
- WHEAT AND MORE...

\* Payment is due upon delivery.

\* Product is non-returnable.





**Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides.** Agrisure®, Agrisure® Above, Agrisure Artesian®, Agrisure® Total, Agrisure Viptera®, Artesian®, Duracade®, DuracadeViptera™, DuracadeViptera™ Z3, E-Z Refuge®, Viptera®, and Viptera® Z3 are trademarks of a Syngenta Group Company.

More information about Duracade® is available at [www.biotradestatus.com](http://www.biotradestatus.com).



Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.



Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.



YieldGard VT Pro® is a registered trademark used under license from the Bayer Group.

Seeds containing the PowerCore® Enlist®, PowerCore® Enlist® Refuge Advanced®, Enlist® Corn - REFUGE and Enlist E3® traits are protected under one or more U.S. patents which can be found at [www.traitstewardship.com](http://www.traitstewardship.com). The purchase of this traited seed includes a limited license to produce a single crop in the United States. The use of seed from such a crop and/or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Corteva Agriscience Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements. To plant PowerCore Enlist, PowerCore Enlist Refuge Advanced, Enlist Corn - REFUGE and Enlist E3 seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower a limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3 soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at [www.corteva.us/Resources/trait-stewardship.html](http://www.corteva.us/Resources/trait-stewardship.html).

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit [www.biotradestatus.com](http://www.biotradestatus.com). Excellence Through Stewardship® is a registered trademark of Global Stewardship Group.



Properly managing trait technology is key to preserving it as a long term crop protection tool. **Growers who fail to comply with IRM requirements risk losing access to this product.** To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology

Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with B.t. technology, including refuge examples and important information on the use of insecticides on refuge and B.t. corn acres, please consult appropriate Product Use Guide. Go to [www.corteva.us/Resources/trait-stewardship.html](http://www.corteva.us/Resources/trait-stewardship.html) to download the latest Corteva Agriscience Corn Product Use Guide.



Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To oB.t.ain "Bulletins," consult [epa.gov/espp/](http://epa.gov/espp/), call 1-844-447-3813, or email [ESPP@epa.gov](mailto:ESPP@epa.gov). You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CORN AND SOYBEANS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at [www.traitstewardship.com](http://www.traitstewardship.com). The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.

™ © Trademarks of Corteva Agriscience and its affiliated companies.



Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To oB.t.ain "Bulletins," consult [epa.gov/espp/](http://epa.gov/espp/), call 1-844-447-3813, or email [ESPP@epa.gov](mailto:ESPP@epa.gov). You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CORN AND SOYBEANS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at [www.traitstewardship.com](http://www.traitstewardship.com). **POWERCORE® multi-event technology developed by Corteva Agriscience LLC and Monsanto. LibertyLink® and the Water Droplet Design are registered trademarks of BASF. PowerCore® and Roundup Ready® are registered trademarks of Bayer Group.** Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

™ © Trademarks of Corteva Agriscience and its affiliated companies.

PowerCore® multi-event technology developed by Corteva Agriscience LLC and Monsanto. POWERCORE® is a registered trademark of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

## Notes

[illegible]



## Notes

[illegible]





1805 South State Road 140 • Janesville, WI 53546

608.752.2767

[www.tracyseeds.com](http://www.tracyseeds.com)

